



KAYOCHEMTM
— SOLUTIONS —
Built for Strength & Durability


PRODUCT CATALOGUE



EMAIL: kayochemsolutions@gmail.com



CUSTOMER CARE: +91-7707999112



MSME
MICRO, SMALL & MEDIUM ENTERPRISES
सूक्ष्म, लघु एवं मध्यम उद्यम
OUR STRENGTH • हमारी शक्ति

Ministry of MSME, Govt. of India





KAYOCHEM™
— SOLUTIONS —

ABOUT US

KAYOCHEM is an emerging name in the **Construction Chemicals Industry**, backed by deep expertise and industry experience.

We deliver **High-Quality Construction** Solutions using premium raw materials, manufactured under strict supervision by skilled professionals.



- ✓ **Tile & Stone Fixing Adhesives**
- ✓ **Tile Joint Fillers** (cementitious & Epoxy)
- ✓ **Stone & Marble Solutions**
- ✓ **Waterproofing Systems**

INNOVATION IS OUR MOTTO

We continuously integrate the latest technologies to develop advanced products and set new industry benchmarks.

Our mission is to deliver **excellent customer satisfaction**, **reliable service**, and top-quality products at competitive prices.

Built for Strength & Durability

ECO 101 (TYPE 1, C1TE)

Polymer Modified Cementitious Thinset Adhesive for Ceramic and Vitrified Tiles

- Designed for interior applications
- Specially suitable for floors & dry areas
- Type 1, CITE classification
- Designed for interior applications
- Tile on Tile and Wet on Wet application
- Single component

Applications areas:

Floors, Walls, Tile on Tile, Dry Areas, Work Tops

COVERAGE: 30-50 sq. ft. / 20 kg bag @3mm-5mm thickness (coverage may vary depending on type and size of tiles and substrates smoothness and evenness)

Usage: Marbles, Ceramic Tiles, Vitrified/Vitreous/Semi-Vitreous Tiles, Ceramic Mosaic Tile, Terracota, Precast, Terrazo

Packaging: Size = 20kgs

Colour - Grey



PRIMO 202 (TYPE 2, C2TE)

KAYOCHEM PRIMO 202 is highly resilient, advanced polymer modified cementitious Tile & Marble adhesive for fixing large format Tiles & Stones, designed for both interior and exterior applications.

Polymer modified thin-set adhesive for stones and tiles.

High performance, deformable with extended open time

No vertical slip is observed, designed for exterior and interior application

Meet Type 2 ,C2TE classifications

Extended open time, slip resistant, high tensile strength

Colour : Grey, White

Application Areas : Walls, Floors, Showers, Damp Areas, Swimming Pools, Shallow submerged areas, Tile on Tile, Dry areas, Worktops.

Coverage : 30-50 sq. ft. /20 kg bag @3mm-5mm thickness (coverage may vary depending on type and size of tiles and substrates smoothness and evenness) Packaging Size : 20 kg





KAYOCHEM™
SOLUTIONS

STONE TILE ADHESIVE AND GROUTS

FLEXO 303 (TYPE 3, C2TES1)

KAYOChem flexo 303 is highly resilient fibre reinforced advanced polymer modified cementitious Tile & Marble Adhesive with inherent flexible feature for fixing large Format Tiles & Stones, designed for both interior and exterior applications. High performance, deformable with extended open time. No vertical slip is observed, designed for exterior and interior applications. Specially suitable for large porcelain tiles & natural stones.

Meet Type 3 ,C2TES1 classifications

Extended open time, slip resistant.

Good underwater shear bonding single component, Absorbs high loads.

Colour : Grey, White

Application Areas : Walls, Floors, Showers, Damp Areas, Swimming Pools, Shallow submerged area, Tile on Tile, Wet applications, Dry areas, Worktops.

Coverage : 30-50 sq. ft. /20 kg bag @3mm-5mm thickness (coverage may vary depending on type and size of tiles and substrates smoothness and evenness) Packaging Size : 20 kg



STONE PRO 404 (TYPE 4, C2TES1)

KAYOCHEM STONE PRO 404 is one component high flexibility and performance cement based adhesive. It is suitable for ceramic and vitrified tiles & natural stones with the exception of humidity, sensitive natural stones and for applications in both internal & external areas.

- Classified as Type 4, C2TES2
- High Performance, Deformable
- No vertical slip, Extended open time

Application Areas : It can be used on demanding applications such as Waterproofed boards, under floor heating system, external facades, Large size tiles without the addition of enhancing latex, ceramic & glass mosaic, external areas, swimming pools, balconies etc., wet areas, shower areas, heavy traffic floors, cement/gypsum boards (after suitable primer applications)

Coverage: 30-50 sq. ft. /20 kg bag @3mm-5mm thickness (coverage may vary depending on type and size of tiles and substrates smoothness and evenness)

Colour – Grey, White

Packing Size: 20Kgs





KAYOCHEM™
SOLUTIONS

STONE TILE ADHESIVE AND GROUTS

KAYO FLEX 555

KAYO FLEX is two component PU modified based flexible Tile adhesive/ Marble Adhesive with high adhesion strength, used for laying of ceramic tiles, porcelain tiles, natural and synthetic stones on floors and walls, on absorbent and non-absorbent, deformable substrate.

- PU modified epoxy based resin adhesive
- Especially suitable for metal, wood, cement, rubber, linoleum
- Suitable for substrates, prone to accidental water contact
- Thixotropic, particularly suitable for vertical surfaces

Advantages : Strong adhesion to all surfaces used in building, excellent durability, Resistant to ageing, High adhesion on deformable substrates, No vertical slips

Application Areas : Walls, Floors, Damp Areas, Tile on Tile, Dry Areas, Work tops

Usage : Material – Marbles, Ceramic Tiles, Vitreous/Semi Vitreous Tiles and Glass Mosaic Tiles, Porcelain Tiles, Precast Terrazzo & Natural & Synthetic Stones

Substrates : Mineral Screeds, Cement based screeds, concrete, cement plasters & Cement-lime mortar, Cement , Fibre board, Gypsum, Gypsum Board, Gypsum panels, Ply board, Floor & Wall in Glazed tiles, Cement based and resin floor tiles, Porcelain Tiles, Wood, Metal, Glass, PVC, Linoleum

Coverage : Approximately 2-4 kg per m² depending upon the substrate or 20-25 sq. ft. per 5 kg pack @3/4 mm thickness

Packaging Size: 5Kgs.



KAYO EPOXY GROUTS 444

KAYO EPOXY GROUT is hygienic, hard wearing, impervious epoxy grout with high degree of resistance to water, stains, abrasion and impact. Especially recommended in stain prone areas such as kitchen and washrooms.

Acid – resistant, waterproof epoxy grout for tiles

It's hard wearing, impervious and stain-free

Resistant to chemical attacks, abrasion & impact

Color fast, washable & non cracking

Available in 5kgs and 1kgs pack size

Product Benefits : Designed for interior applications, Stain resistance, Resistance to water, acid & chemicals, Washable, Color fast, Non – cracking, Resistant to abrasion & impact, Hard wearing & impervious.

Advantages: Strong adhesion to all surfaces used in building, excellent durability, Resistant to ageing, High adhesion on deformable substrates, No vertical slips .

Application Areas : Walls, Floors, Showers, Damp areas, Swimming pools, Heavy traffic areas.

Materials : Ceramic Tiles, Vitreous, Semi Vitreous tile, Glass mosaic tiles, Precast terrazzo

Substrates: Cement plaster, Ceramic tile, Concrete Masonry, Brick Masonry, Cement Mortar Beds, Concrete.

Grout Coverage: Depends on the size of tile, the width of the joint and thickness of the tile.

Pack Size: 1kg & 5kg bucket

Colour : Available in 40 attractive shades





STONE TILE ADHESIVE AND GROUTS

K GROUT

KAYOCHEM K GROUT: is polymer modified Joint filler for Tiles & Stones, with water resistant properties for all kinds of tiles & natural stones. K Grout is recommended for joint size 1mm-3mm for indoor & outdoor applications for floor, walls & façade. Available In 12 Colours.

Coverage: Varies with tile size & joint width

Packaging Size: 1kgs.



Application Areas : Walls, Floors, Showers , Dry areas, Work Tops



KAYOCHEM™
SOLUTIONS

STONE TILE ADHESIVE AND GROUTS

K POXY 200G

K- EPoxy 200 G is thixotropic, solvent free, UV resistant, two component epoxy resin based system for joint filling of Light colored and Dark Colour Marbles / stones.

- Translucent Thixotropic gel to fill joints & cracks on Light And Dark Marbles.
- Non Yellowing epoxy, which last for several years with de-bonding.
- It is a stain proof system and gives a seamless finish & appearance to the installed marble pieces
- Pigments can be mixed to get the desired shade as per requirement

Product Benefits: UV resistant, Non-yellowing, Solvent free epoxy system, Thixotropic Gel, Non Bleeding, Resistant to chemicals

Usage: Light & Dark colored marbles .

Coverage : 150 to 200 sq ft per pack can be change depends upon joints width and depth.

Packaging Size: 1 kgs.

Hardner 200gm

Resin 800gm



DIAMOND GEL 150 G

KAYO Polyester Thixotropic transparent paste with high viscosity for gluing and fixing marbles, stones and tiles

- 100 % clear polyester based product to fill joint, large cracks in light colored marble
- Transparent thixotropic glue to provide seamless finish & appearance after installation
- Good Adhesion with minimum shrinkage & excellent gloss after polish
- Optimal curing time which fastens the polishing process

Product Benefits: Polyester based thixotropic transparent glue, Fast setting and curing time, easy to apply & Polish, Good UV stability, colors can be mixed as per desired, polishable and grindable after hardening

Application Areas : Walls, Floors, Showers , Dry areas, Work Tops

Recommended Surface : Granite, Marble , Cementitious tiles

Coverage: 100-250 sq. ft per pack can be changed depends upon joints width and depth.

Packaging Size – 1 kgs.





KAYOCHEM™
SOLUTIONS

STONE TILE ADHESIVE AND GROUTS

K- EPO 2010 G

K- EPO 2010 G is thixotropic, solvent free, UV resistant, two component epoxy resin based system for joint filling of white & other light colored stones.

- Translucent Thixotropic gel to fill joints & cracks on white marble such as Thasos, Statuario, Onyx etc.
- Non Yellowing epoxy, which last for several years with de-bonding.
- It is a stain proof system and gives a seamless finish & appearance to the installed marble pieces
- Pigments can be mixed to get the desired shade as per requirement

Product Benefits: UV resistant, Non-yellowing, Solvent free epoxy system, Thixotropic Gel, Non Bleeding, Resistant to chemicals

Usage: White & Light colored marbles like Thasos, Cararra , Statuario , Granite etc.

Coverage: 300/400 sq. ft per pack can be change depends upon joints width and depth.

Packaging Size: 2.25 kgs.



KAYOCHEM K-MASTIC

K - MASTIC is a thixotropic gel adhesive with a mixing ratio of 100:2 or 3 (adhesive to hardner). It is specially formulated for vertical as well as horizontal stone applications. Its thixotropic gel texture allows for easy, sag free application on upright surfaces, ensuring clean & controlled bonding. Known for its excellent strength & workability, it is ideal for fixing, repairing and filling natural stones like marble & granite. The adhesive can be tinted using compatible pigments for color matching and it sets quickly, delivering reliable performance in both indoor and outdoor settings

- Offers a pot life of 4-6 minutes and becomes tack free with on 8 – 10 minutes at 25 degree Celsius
- Full curing can be achieved in 24 hours and the grinding can begin after which it can stand temperature upto 100 degrees Celsius
- It has 12 month shelf life when stored in cool, dry place between 15 degree Celsius and 25 degree Celsius

Usage : Marble, Onyx and Stone

Coverage: 200/300 sq. ft per pack can be changed depends upon joints width and depth.

Packaging Size: 1.35 KGS.





KAYOCHEM™ SOLUTIONS

POLISHING SYSTEM FOR STONES

KAYOCHEM KAYO FILL 1010L

- Economical and very low viscosity product to rectify pinholes, fissures and cracks of coloured marble
- Imparts colour enhancement to dark coloured stones such as Dyna Botticino, Sicilia etc.
- Excellent penetration and provides strength to soft stones
- Very high gloss imparting properties.

Coverage: 1000sq. ft to 1500sq ft

Packaging Size: 5 KGS.



KAYO DENSO 200

K STONE DENSO 200 is advanced lithium chemistry which is water based solution requires no rinsing and is VOC compliant in all areas of the world. When applied on surface, it penetrates upto ¼ inch (7mm) where it reacts with free calcium to form insoluble calcium silica hydrate, which makes marble or stone more water, stain & abrasion resistant for easier maintenance and longer life. It is also suitable for marble, natural stone and concrete polishing procedures and helps prolong the life of polished finishes

- Exterior and interior application
- Helps prolong the life of polished finishes

Product Benefits : For the treatment of ground and polished absorbent marble, natural stones, limestones, used for strengthening stone. The color, tone and ability of the stone to breathe remain unaltered

Usage : Natural Stone, Indian and Italian Marble, Limestone etc.

Coverage : Natural Stone after 200 grits approx. 200-250 sq.ft/litr. depends on the porosity of the stone

Packaging Size : 1 and 5 liter.





KAYOCHEM™

SOLUTIONS

POLISHING SYSTEM FOR STONES

KAYO DENSO 800

K STONE DENSO 800 is a penetrating Nano-Lithium treatment for marble, natural stone, terrazzo and polished concrete surfaces formulated specially for surfaces which has been ground and polished upto 800 grits. Environmental friendly treatment also reduces efflorescence, abrasion resistant and reduces dusting. For interior & exterior application

Products Benefit: For the treatment of ground and polished absorbent marble, natural stone, lime stone, sandstone, granite or concrete

Usage: Natural stones, Indian and Italian Marbles, Limestone, Sandstone, Granite, Concrete etc.

Coverage: After 800 grit approx. 200-250 sq,ft/litre depends on the porosity of the stone.

Packaging Size: 1 and 5 Ltr.



DENSO HARD DIP

Kayo Dip Is advanced, water-based penetrating treatment formulated with Nano-Lithium chemistry for natural stone, terrazzo, and polished concrete surfaces.

Key Features & Benefits:

Surface Restoration: Ideal for reviving worn or damaged surfaces, particularly marble and limestone.

Enhances Appearance: Deepens clarity and significantly heightens reflectivity (gloss) without leaving a whitish film or residual deposits.

Durability: Increases abrasion resistance and reduces dusting, which helps lower long-term floor maintenance costs.

Protection: Inhibits alkali salts (efflorescence) and prevents "sweating" in stone and concrete surfaces.

Easy Application: Requires only a single treatment with no need for brooming or rinsing, unlike traditional sodium-based treatments.

Technical Specifications

Chemistry: Water-based Nano-Lithium densifier.

Penetration: Can penetrate up to 7mm into the stone to react with free calcium.

Consistency: Highly liquid and transparent.

- VOC Compliance: Environmentally friendly and compliant with global VOC standards.

Lastly Packing size: 5Litre, 20Litre





KAYOCHEM™

SOLUTIONS

POLISHING SYSTEM FOR STONES

KAYO MOULD SHINE

K- SHINE has been designed to renew the gloss of marble, granite, stoneware and all natural stones in general. Its formulation, based on the highest quality material, allows and effective & long lasting water & oil repellent action, penetrating deeply (upto 4mm) into the treated material. K SHINE has excellent application properties, including an incomparable vapour permeability, an indisputable guarantee of unchanged breathability of the treated surfaces and above all, an excellent and unmatched polishing with exaltation of the colors and veins present on the support to be treated

- It is used to protect & Polish marble surfaces
- Prevent the absorption of humidity & the accumulation of corrosive substance
- It helps restore the marbles original shine & make it appear brighter and more attractive
- It gives full protection of the stone against water, corrosion
- It gives excellent glossy finish to marble, even on dark color in its black version
- Allows easier & faster cleaning by retaining dirt particles
-

Coverage: 200/250 Sq.ft depends upon surface .

Packaging Size: 1 lit.



KAYO SHINE HIGH GLOSS

K- SHINE has been designed to renew the gloss of marble, granite, stoneware and all natural stones in general. Its formulation, based on the highest quality material, allows and effective & long lasting water & oil repellent action, penetrating deeply (upto 4mm) into the treated material. K SHINE has excellent application properties, including an incomparable vapour permeability, an indisputable guarantee of unchanged breathability of the treated surfaces and above all, an excellent and unmatched polishing with exaltation of the colors and veins present on the support to be treated.

- It is used to protect & Polish marble surfaces
- Prevent the absorption of humidity & the accumulation of corrosive substance
- It helps restore the marbles original shine & make it appear brighter and more attractive
- It gives full protection of the stone against water, corrosion
- It gives full protection to the stone against water & corrosion
- It gives excellent glossy finish to marble, even on dark color in its black version
- Allows easier & faster cleaning by retaining dirt particles

Coverage: 200/250 Sq.ft depends upon surface .

Packaging Size: 1lit.





KAYOCHEM™

SOLUTIONS

POLISHING SYSTEM FOR STONES

KAYO GLOSS CRYSTAL POWDER

Kayo Gloss is a professional high-gloss crystallization powder specifically designed for the wet polishing and protection of calcareous stone floors, such as marble, travertine, and limestone.

Key Product Features

- **Mirror-Like Shine:** Utilizes a combination of chemical and mechanical action to quickly achieve a deep, reflective gloss.
- **Surface Protection:** Reduces the penetrability of water and dirt, making daily maintenance easier and preventing stains from sticking.
- **Improved Safety:** Significantly improves slip resistance by up to 20%, even on high-gloss surfaces.
- **Restoration:** Effectively removes very fine scratches and intensifies the natural colour and contour acuity of the stone.

Specifications

Form: Solid yellow powder.

Packaging: Commonly available in 5 kg / 1 kg



KAYO CRYSTAL+

Crystal+ is water based emulsion of micro-crystal compounds and waxes for final polishing and re-polishing of marble floors. Crystal+ hardens the surface and protects it from scratches and scrapes, giving a durable gloss and restoring the beauty of the material. It is the ideal product for the restoration of worn surfaces by time or by foot traffic.

DIRECTIONS: Read entire label before using. Use only as directed. Always test on a small area with a 24 hours curing to check desired results. Make sure surface is clean and free of waxes, dirt and coatings. Pro Shine may be applied to damp surfaces only after surface is completely dry. Ensure that area is well ventilated during the application and the surface is dry. Surface temperature

DO NOT USE POWER SPRAYER:

Better results will be obtained using a paint brush, pad or roller. For Larger jobs use pump-up garden sprayer.

USE GLOVES, GOGGLES & RESPIRATORS WHILE APPLYING

Packing Size: 1ltr





KAYOCHEM™ SOLUTIONS

PROTECTION SYSTEM: STONE SEALER

TOP GUARD

TOP GUARD is a premium. UV resistant, nano impregnating sealer providing ultimate protection against water, oil and other stains

- Fluoropolymer base impregnator to provide hydrophobicity and oleophobicity to the marble and stones
- Very long durability as it penetrates deep inside the substrate
- Preserves the natural look and color of the stone as it penetrates into the micropores
- Non Yellowing. UV resistant
- Can be applied in exterior

Product Benefits : Certified Food Safe, Fluoropolymer based product, Nano impregnating technology, Hydrophobic, Oleophobic. Maximum protection against stains, Microbond protection, Preserves natural look, UV resistant

Usage : Natural stones such as Marble, Granite, Travertine, Statuario, White stones, Thassos, onyx, Limestone, Sandstone.

Coverage : Approximately 65-300 sq. ft per litre depending on the porosity of the stone

Packaging Size : 1 litre



K ENHANCER

- Fluro Polymer base impregnator to provide hydrophobicity and oleophobicity to the marble and stones. It also enhances color of the stone
- Non-Yellowing, UV resistant, Can be applied to exterior
- Very log durability as it penetrates inside the substrate. Specially recommended for dark color marble
- Enhances the surface finish and color of the stone as it penetrates into the micor pores

Product Benefits: Enriches color, Interior & Exterior use, Weather & UV resistant, Imparts Wet look, Protects against water & oil based stains

Usage: All Natural stones such as – Marbles, Granite, Travertine, Limestone, Bricks, Tiles

Coverage: Approx 65-300 sq. ft per litre depending on the porosity of the stone

Packing: 1 Litre





KAYOCHEM™

SOLUTIONS

PROTECTION SYSTEM: STONE SEALER

PROTECTO

K PROTECTOR is pre-impregnation based on silicon contains solvents, low odour during application.

- Long lasting, water & dirt-repellent protective treatment to prevent/reduce damage resulting from rising damp (efflorescence) of wall and floor covering made of absorbent, mineral substances, e.g, natural & artificial stone
- Also used as a grouting aid
- Protection against the humidity from the back
- Resistance to UV radiation
- Reduction of water & dirt absorption during periods of moisture

Application Area: Natural & Artificial stones (polished ground, rough surfaces of marbles, limestone, granite, gneiss, cotto, terrazzo, unglazed ceramic tiles or similar

Coverage: approx. 5-20 mtr sq per litre depending on the absorption capacity of the stone

Packaging size : 1ltr



STONE DEFENCE


- Fluro Polymer base impregnator to provide hydrophobicity and oleophobocity to the marble and stones
- Very long duarbility as it penetrates deep inside the substrate
- Preserves the natural look and color of the stone as it penetrates into the micor pores
- Non-yellowing, UV resistant and can be applied in exteriors it is especially designed for Sandstone, Limestone etc.

Product Benefits: Enriches color, Interior & Exterior use, Weather & UV resistant, Imparts Wet look, Protects against water & oil based stains

Usage: All Natural stones such as – Marbles, Granite, Traventine, Limestone, Bricks, Tiles

Coverage: Approx 65-300 sq. ft per litre depending on the porosity of the stone

Packing: 1 Litre





KAYOCHEM™
SOLUTIONS

PROTECTION SYSTEM: STONE SEALER

WETOSEAL

- Economical coating to provide hydrophobicity i.e. water repellency to the stone. it also enhances color of the stone.
- Very long durability as it penetrates inside the substrate. It is especially recommended for granite and sandstone.
- It helps to keep the stone free from weather induced stains
- Non-yellowing ,UV resistant and can be applied in exteriors

Product Benefits: Enriches color, Interior & Exterior use, Weather & UV resistant, Imparts Wet look, Protects against water & oil based stains

Usage: All Natural stones such as – Marbles, Granite, Travertine, Limestone, Bricks, Tiles

Coverage: Approx 65-300 sq. ft per litre depending on the porosity of the stone

Packing: 1 Litre



BACKOSEAL

BACKOSEAL is Nano-impregnating technology based sealer providing advanced protection against water, oil and other stains especially design to prevent minerals and cementitious stains from backside absorption.

- Fluoropolymer base impregnator to provide hydrophobicity and oleophobicity to the marble & stones .
- Very long durability as it penetrates deep inside the substrate
- Acts as an adhesion promoter to cement or adhesives, used to install marble
- It is especially used to seal back & edge of the marble. It is recommended especially for marble that is susceptible to stains from rust, cement etc.
-

Product Benefits: Certified food safe, Fluoropolymer based product, Nano impregnating technology, hydrophobic, Oleophobic. Effective Penetration, Microbond Protection, Breathable, Enhanced adhesion strength

Usage: Natural Stones, Indian and Italian Marbles, Granite, Travertine, Statuario, White stones Limestone, Sandstone.

Coverage : Approximately 100-300 sq.ft per litre, depending on the porosity of the stone

Packaging Size – 1 lit.





KAYOCHEM™
SOLUTIONS

PROTECTION SYSTEM:
STONE SEALER

KAYOCHEM SAND STONE SEALER

- Economical Silicone Base Sealer to Provide then All hydrophobicity i.e. water repellency to porous substrate such as sandstones, bricks, cement and concrete surfaces.
- Very long durability as it penetrates inside the substrate.
- Non-yellowing ,UV resistant and can be applied in exteriors. It is especially designed for Sandstone, Limestone etc.
- Preserves the natural look and colour of the stone as it penetrates into the micro pores.

Usage: All Natural stones such as – Marbles, Granite, Travertine, Limestone, Bricks, Thassos, onyx.

Coverage: Approx 65-300 sq. ft per litre depending on the porosity of the stone

Packing: 5 Litre/10Litre





KAYOCHEM™

SOLUTIONS

MAINTAINENCE SYETEM:

KAYO MARBOCLEAN

Kayo Marboclean

General purpose hard surface cleaner and sanitizer, ideal for the quick and effective cleaning of shiny floor surfaces like polished marble, granite, etc.

- Water base cleaner to clean tiles, stones and marble
- Very low acidic content, does not cause etching
- Excellent cleaning properties, widely used in tiles and stones
- Odorless has no harmful effect on health

PACKAGING SIZE - 1 liter.

KAYO TILO CLEAN

Kayo Tilo Clean

HEAVY DUTY TILE CLEANER

Cleaner for removal of cement stains

A powerful, heavy duty, acid – based cleaner for ceramic tiled floors and walls. HEAVY DUTY TILE CLEANER is designed for removal of cement film residues, efflorescence and most oxide stains. It may also be used as general purpose cleaner on other acid resistant surface.

Note: Do not use on surfaces that are not resistant to acid such as marble/terrazzo.

PACKAGING SIZE - 1 liter.

KAYO STAIN CLEAR

Kayo STAIN clear

Solvent based cleaner specifically designed for quick and effective removal of tough and deeply penetrated stains. Stain remover to remove organic stains on marble and stones, Removes stains of coffee, tea, paint, oil, and rust It's a very strong degreaser Should be used carefully as per instructions mentioned in data sheet

PRODUCT BENEFITS

- Pulls Out Deep-Set Oil Stains
- Non-Acidic
- Does Not Etch the Surface
- Will Not Discolor the Stone

USAGE: Recommended Surfaces Marble, Natural Stone, Sandstones, Granite

PACKAGING SIZE: 0.5L



KAYOCHEM™
SOLUTIONS

TILES & STONE -ADHESIVES



EPOXY GROUTS



STONE & MARBLE PRODUCTS



WATERPROOFING



KYOCHEM SOLUTIONS PRIVATE LIMITED



OFFICE ADDRESS: Room 112, 2A/3 , S/F Front Side
Kundan Mansion New Delhi Ajmeri Gate



EMAIL: kayochemsolutions@gmail.com



CUSTOMER CARE: +91-7707999112